

SAMPLE I.D.	COPPER	ZINC
Benchmark Values	14	117
"A" 3317 PRE-RAIN GARDEN	607	9,130
"AA" 3317 POST-RAIN GARDEN	5.15	1,010
Percent Removal	99%	89%
"B" 3317 PRE-DOWN SPOUT FILTER	221	14,900
"BB" 3317 POST-DOWN SPOUT FILTER	7.24	2,770
Percent Removal	97%	81%
"C" 3405 PRE-RAIN GARDEN	26.8	574
"CC" 3405 POST-RAIN GARDEN	23.2	42.8
Percent Removal	13%	93%
"D" 3405 PRE-DOWN SPOUT FILTER	21.1	182
"DD" 3405 POST-DOWN SPOUT FILTER	11.9	132
Percent Removal	44%	27%

Results are reported in ug/L (ppb)

Meets Benchmark -

Does Not Meet Benchmark -

Down Spout Filter = CleanWay downspout filter with metals-adsorbing media.